

## Yolo High School Scope of Work

Location: Yolo High School - Interior

Room: Office and Principal Office

Qty: 16

Fixture: F-F32T8-4

Fixture Attributes: Surface Troffer-2X4-Louver-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: Office and Principal Office

Qty: 1

Fixture: INCAN-I65-1

Fixture Attributes: 12 square-A19-Frosted-Recessed-4000-No

Action: Retrofit

Proposed Fixture: "13x13"" SM White Square"

Location: Yolo High School - Interior

Room: Restroom - Principal Office

Qty: 1

Fixture: INCAN-I65-1

Fixture Attributes: Vanity-A19-Frosted-Wall-4000-No

Action: Retrofit

Proposed Fixture: (1) TSF 2 25/30/40 G1 FSK

Location: Yolo High School - Interior

Room: RR

Qty: 2

Fixture: INCAN-I65-1

Fixture Attributes: 12 square-A19-Frosted-Recessed-4000-No

Action: Retrofit

Proposed Fixture: "13x13"" SM White Square"

Location: Yolo High School - Interior

Room: Preschool

Qty: 2

Fixture: F-F32T8-2

Fixture Attributes: Surface Troffer-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer W/Surface Mount Kit, Built-in 2.5mm Receptacle, Selectable 34/38/45W 3500/4000/5000CCT - TDSC 24 LS60 G1 FSK

Location: Yolo High School - Interior

Room: Preschool

Qty: 12

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: Preschool

Qty: 2

Fixture: INCAN-I65-1

Fixture Attributes: 12 square-A19-Frosted-Recessed-4000-No

Action: Retrofit

Proposed Fixture: "13x13"" SM White Square"

Location: Yolo High School - Interior

Room: Preschool

Qty: 1

Fixture: INCAN-I65-1

Fixture Attributes: Jelly Jar-A19-\*--Surface-4000-No

Action: Retrofit

Proposed Fixture: 6in Disk, 15 Watt, 1100 LM, CCT Selectable, with Occupancy

Location: Yolo High School - Interior

Room: 14

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 15

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 16

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 10

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: RR

Qty: 6

Fixture: F-F32T8-2

Fixture Attributes: Vapor Tight-4 foot-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 4 FT Vapor Tight, 38/46/54W Wattage Adjustable

Location: Yolo High School - Interior

Room: Cust

Qty: 1

Fixture: INCAN-I65-1

Fixture Attributes: Round-A19-No Lens-Surface-4000-No

Action: Retrofit

Proposed Fixture: 6in Disk, 15 Watt, 1100 LM, CCT Selectable, with Occupancy

Location: Yolo High School - Interior

Room: Cust

Qty: 1

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 11

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 12

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 13

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: RR

Qty: 6

Fixture: F-F32T8-2

Fixture Attributes: Vapor Tight-4 foot-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 4 FT Vapor Tight, 38/46/54W Wattage Adjustable

Location: Yolo High School - Interior

Room: Cust

Qty: 2

Fixture: INCAN-I65-1

Fixture Attributes: Round-A19-No Lens-Surface-4000-No

Action: Retrofit

Proposed Fixture: 6in Disk, 15 Watt, 1100 LM, CCT Selectable, with Occupancy

Location: Yolo High School - Interior

Room: 9

Qty: 10

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 9

Qty: 1

Fixture: F-F32T8-2

Fixture Attributes: Wrap-4 foot-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior  
Room: RR  
Qty: 6  
Fixture: F-F32T8-2  
Fixture Attributes: Vapor Tight-4 foot-Prismatic-Surface-4000-No  
Action: Retrofit  
Proposed Fixture: 4 FT Vapor Tight, 38/46/54W Wattage Adjustable

Location: Yolo High School - Interior  
Room: Cust  
Qty: 2  
Fixture: INCAN-I65-1  
Fixture Attributes: Round-A19-No Lens-Surface-4000-No  
Action: Retrofit  
Proposed Fixture: 6in Disk, 15 Watt, 1100 LM, CCT Selectable, with Occupancy

Location: Yolo High School - Interior  
Room: 4  
Qty: 9  
Fixture: F-F32T8-4  
Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No  
Action: Retrofit  
Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior  
Room: 3  
Qty: 9  
Fixture: F-F32T8-4  
Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No  
Action: Retrofit  
Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior  
Room: 2  
Qty: 9  
Fixture: F-F32T8-4  
Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No  
Action: Retrofit  
Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior  
Room: 1  
Qty: 9  
Fixture: F-F32T8-4  
Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: RR

Qty: 4

Fixture: F-F32T8-2

Fixture Attributes: Vapor Tight-4 foot-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 4 FT Vapor Tight, 38/46/54W Wattage Adjustable

Location: Yolo High School - Interior

Room: RR

Qty: 2

Fixture: INCAN-I65-1

Fixture Attributes: 12 square-A19-Frosted-Recessed-4000-No

Action: Retrofit

Proposed Fixture: "13x13"" SM White Square"

Location: Yolo High School - Interior

Room: Cust

Qty: 2

Fixture: INCAN-I65-1

Fixture Attributes: Vanity-A19-Frosted-Wall-4000-No

Action: Retrofit

Proposed Fixture: 6in Disk, 15 Watt, 1100 LM, CCT Selectable, with Occupancy

Location: Yolo High School - Interior

Room: Port 1

Qty: 10

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W 3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: AED

Qty: 8

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W 3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: RR

Qty: 1

Fixture: UFL-FU31T8/6-2

Fixture Attributes: 2X2-2x2-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X2 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 18/25/30W  
3500/4000/5000CCT - TDRK 22 LS45 G1 FSK

Location: Yolo High School - Interior

Room: Port 2

Qty: 10

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W  
3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: Kitchen

Qty: 7

Fixture: F-F32T8-2

Fixture Attributes: Wrap-4 foot-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable  
20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: Multi-purpose Room

Qty: 12

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable  
20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: Stage

Qty: 4

Fixture: F-F32T8-4

Fixture Attributes: Surface Troffer-2X4-Louver-Surface-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer W/Surface Mount Kit, Built-in 2.5mm Receptacle, Selectable 34/38/45W  
3500/4000/5000CCT - TDSC 24 LS60 G1 FSK

Location: Yolo High School - Interior

Room: Stage

Qty: 1

Fixture: INCAN-I65-1

Fixture Attributes: 12 square-A19-Frosted-Recessed-4000-No

Action: Retrofit  
Proposed Fixture: "13x13"" SM White Square"

Location: Yolo High School - Interior

Room: Stage

Qty: 1

Fixture: F-F32T8-2

Fixture Attributes: Wrap-4 foot-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: Esports

Qty: 12

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W 3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: Library

Qty: 12

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W 3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: 19

Qty: 12

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W 3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: 20

Qty: 12

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W 3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: 22

Qty: 12

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W 3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: 23

Qty: 10

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W 3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: 21

Qty: 12

Fixture: F-F32T8-4

Fixture Attributes: Troffer-2X4-Prismatic-Recessed-4000-No

Action: Retrofit

Proposed Fixture: 2X4 Troffer Retrofit Kit with Built-in 2.5mm Receptacle, Selectable 25/30/35W 3500/4000/5000CCT - TDRK 24 LS45 G1 FSK

Location: Yolo High School - Interior

Room: 17

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 8

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 7

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 6

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Interior

Room: 5

Qty: 9

Fixture: F-F32T8-4

Fixture Attributes: Wrap-2X4-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: 1x4 Flat Panel, 620 IntelliSense Panel with surface mount kit, Wattage Selectable 20/25/35W, Kelvin Selectable 3500/4000/5000K - ESL-ISS-620-14-1525W-3550K, ESL-ACCS-14-SMK-02

Location: Yolo High School - Exterior

Room: Exterior

Qty: 14

Fixture: CFL-CF55W-1

Fixture Attributes: Wallpack-Plug-in 4 Pin - Vertical-Prismatic-Wall-4000-No

Action: Retrofit

Proposed Fixture: (1) ESL-MWP-1530W-13050-BZ

Location: Yolo High School - Exterior

Room: Exterior

Qty: 16

Fixture: CFL-CF55W-2

Fixture Attributes: Wallpack-Plug-in 4 Pin - Vertical-Prismatic-Wall-4000-No

Action: Retrofit

Proposed Fixture: (1) ESL-MWP-1530W-13050-BZ

Location: Yolo High School - Exterior

Room: Playground

Qty: 1

Fixture: HPS-HPS400-1

Fixture Attributes: Flood-Medium-Clear-Yoke-5000-No

Action: Retrofit

Proposed Fixture: Area Light 75/90/120/150 3000/4000/5000 Yoke Mount Bronze - ESL-AL-75150W-13050-BZYM-T3

Location: Yolo High School - Exterior

Room: Entry

Qty: 4

Fixture: HPS-HPS150-1

Fixture Attributes: Box-Medium-Prismatic-Surface-4000-No

Action: Retrofit

Proposed Fixture: Canopy Light 30/40/60 Field Adjustable, Impact resistant Bronze -  
ESL-CP-3060W-43050-BZ

Location: Yolo High School - Exterior

Room: Entry

Qty: 1

Fixture: INCAN-I65-1

Fixture Attributes: Jelly Jar-A19-\*--Surface-4000-No

Action: Retrofit

Proposed Fixture: (1) ESL-MWP-1530W-13050-BZ