
AQUATIC RESOURCE DELINEATION REPORT

Rose Avenue Bridge Big Chico Creek Erosion Repair Project Butte County, California



Prepared By:

Dokken Engineering 110 Blue Ravine Road, Suite 200 Folsom, California 95630 (916) 858-0642

Prepared For:

City of Chico Public Works 411 Main St Chico, California 95928 (530) 896-7200



Table of Contents

Summary and Project Description	. 1
Chapter 1. Introduction	.2
Chapter 2. Location	.3
Chapter 3. Delineation Methods	.4
Chapter 4. Existing Conditions	.5
4.1 Landscape Setting	.5
4.2 Land Cover Types	.5
4.3 Jurisdictional Resources	.6
Chapter 5. References	.9
Appendix A. Project Location and Features Exhibits1	0
Appendix B. Ordinary High-Water Mark Datasheets1	1
Appendix C. Plant Species Observed1	2
Appendix D. NRCS Soil Report1	4
Appendix E. Representative Photographs1	5

Figures

Figure A. Aquatic Resources Delineation Map – Summary Potential of Waters of the United	
States – Rose Avenue Bridge	7

Acronym List

BSA – Biological Study Area
City – City of Chico Department of Public Works
NRCS – National Resource Conservation Service
NWPL – National Wetland Plant List
OHWM – Ordinary High-Water Mark
Project – Big Chico Creek Erosion Repair Project
USACE – United States Army Corps of Engineers
USFWS – United States Fish and Wildlife Service

Summary and Project Description

The City of Chico Department of Public Works (City) proposes to address erosion at a bridge crossing over Big Chico Creek, located within the City of Chico, in Butte County, California as part of the Big Chico Creek Erosion Repair Project (Project) (Appendix A, see Figure 1, Figure 2, and Figure 3).

Due to heavy creek flows from atmospheric river events in Winter 2023/Spring 2024, erosion damage has significantly deteriorated the creek banks along Big Chico Creek, causing future risk of significant damage to nearby public facilities.

The Project will repair structural deficiencies and bank erosion and scour at the Rose Avenue Bridge. The Rose Avenue bridge is located approximately 0.5 miles west of State Route 32, directly south of the intersection of Rose Avenue and Bidwell Avenue. Proposed repairs include the installation of rock slope protection along the creek banks and in the creek itself, as well as the restoration and reinforcement of scoured areas at the Rose Avenue bridge.

On behalf of the City, Dokken Engineering conducted jurisdictional delineations of waters of the United States within the Biolgoical Study Area (BSA). The BSA was defined as the proposed Project area with an approximate 50-foot buffer where the proposed Project activities intersect with natural habitat communities. The delineations were conducted on July 30th, 2024. Delineation procedures followed the technical methods outlined in the Regional Supplement to the United States Army Corps of Engineers (USACE) Wetland Delineation Manual: Arid West Region (USACE 2008), and A Field Guide to the Identification of the Ordinary High-Water Mark (OHWM) in the Arid West Region of the Western United States (Lichvar 2008). The delineation confirmed the presence of one jurisdictional water feature present within the BSA: Big Chico Creek.

As the Project will result in impacts to Big Chico Creek, a jurisdictional water of the U.S. and State, the Project will be required to obtain regulatory permitting from the Central Valley Regional Water Quality Control Board, USACE, and California Department of Fish and Wildlife. The Project will also be required to obtain an encroachment permit from the Central Valley Flood Protection board.

The Project is anticipated to begin construction in spring of 2027 at the earliest.

Chapter 1. Introduction

The City proposes to address erosion at a bridge crossing over Big Chico Creek, located in the City of Chico, in Butte County, California as part of the Project. The purpose of this report is to identify and describe aquatic resources within the Project's BSA.

This report facilitates efforts to:

- 1. Avoid or minimize impacts to aquatic resources during the Project design process.
- 2. Document aquatic resource boundary determinations for review by regulatory authorities.
- 3. Provide background information regarding aquatic resources in the BSA.

Chapter 2. Location

The proposed erosion repair work is located in the City of Chico, California, at a bridge crossing over Big Chico Creek, within the Chico United States Geological Survey 7.5-minute topographic quadrangle (Appendix A. Project Location and Features Exhibits). The Rose Avenue bridge is located approximately 0.5 miles west of State Route 32, directly south of the intersection of Rose Avenue and Bidwell Avenue. Within the BSA, the elevation ranges between approximately 185 to 190 feet above mean sea level.

The Project area includes all the temporary impacts associated with the Project, including proposed right of way, temporary construction easements, access roads, and potential staging areas. The BSA was defined as the proposed Project area with an approximate 50-foot buffer where the proposed Project activities intersect with natural habitat communities. The combined BSA totals approximately 1.18 acres and encompasses an approximate 230-foot segment of Big Chico Creek that flows from east to west within the BSA (see Appendix A).

2.1 Directions to Site

Rose Avenue Bridge

The Rose Avenue bridge over Big Chico Creek is located immediately south of the intersection of Rose Avenue and Bidwell Avenue (39.7269827132, -121.863365939). To get to the intersection of Rose Avenue and Bidwell Avenue from SR-99, follow these directions:

- Start on SR-99 North
- Take exit 385 for CA-32 toward Chester/Orland
- Use the left 2 lanes to turn left onto CA-32 W/E 8th St
- Drive southwest on 8th Street for 1.8 miles, then turn right onto Walnut Street
- Drive northwest on Walnut Street for 0.5 miles, then turn left onto W 1st Street
- After 300 feet, W 1st Street transitions into Oak Park Avenue
 - o Continue west on Oak Park Avenue for 0.6 miles, then turn right onto Rose Avenue
- Drive north on Rose Avenue for 0.2 miles and arrive at Rose Avenue over Big Chico Creek

Chapter 3. Delineation Methods

The jurisdictional delineation was conducted by Dokken Engineering biologists Jeff Harris and Scott Salembier on July 30th, 2024. The purpose of the survey was to identify habitat communities, assess potential for special-status species, and delineate aquatic resources present within the proposed BSA. The field investigation was conducted in accordance with technical methods outlined in the Corps of Engineers Wetlands Delineation Manual (USACE 1987), Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (USACE 2008), and A Field Guide to the Identification of the OHWM in the Arid West Region of the Western United States (Lichvar 2008). The limits of the OHWM were mapped in the field with an EOS Arrow 100 Receiver and ArcGIS software, and Arid West Ephemeral and Intermittent Streams OWHM Datasheets were completed (Appendix B. Ordinary High-Water Mark Datasheets). OHWM data points were taken where primary indicators of the OWHM were delineated in accordance with the technical methods listed above.

Scientific nomenclature for plants cited in this report in Appendix C. Plant Species Observed is in accordance with The Jepson Manual (Jepson 2024). The indicator status of plants in this report is in accordance with the National Wetland Plant List (NWPL).

Chapter 4. Existing Conditions

4.1 Landscape Setting

The BSA is within Butte County, California, within the Sacramento Valley Province (Jepson 2024). The average annual high temperature is approximately 75 degrees Fahrenheit, the average annual lows reach approximately 47°F, with up to 27 inches of precipitation annually (U.S. Climate Data 2024).

The elevation within the BSA ranges from approximately 185 to 190 feet above mean sea level, with predominantly flat topography throughout. According to the Natural Resource Conservation Service (NRCS), 100% of the soil within the BSA consists of Redsluff gravelly loam (~10.3% of the Project Area), Vina fine sandy loam (70.0% of the Project Area) and Charger fine sandy loam (18.8% of Project Area) (NRCS 2024; Appendix D. NRCS Soil Report).

4.2 Land Cover Types

Land cover types within the BSA include riparian forest, road, and urban/developed land. Big Chico Creek is the only jurisdictional feature identified within the BSA. Plant and wildlife species observed within the BSA during the July 30th, 2024, biological survey efforts were used to define habitat types based on composition, abundance, and cover (Appendix C. Plant Species Observed).

<u>Riparian Forest</u>

A riparian corridor refers to the strip of land along the banks of a river, stream, or other water bodies. It is characterized by its unique ecological and environmental features, including the vegetation, wildlife, and aquatic ecosystems that thrive in and around these waterways.

The riparian forest habitat within the BSA occurs along the slopes and banks of Big Chico Creek. This habitat is characterized by riparian tree species such as southern catalpa (*Catalpa bignonioides*), Fremont cottonwood (*Populus fremontii*), California sycamore (*Platanus racemosa*), valley oak (*Quercus lobata*), Northern California black walnut (*Juglans hindsii*) and white alder (*Alnus rhombifolia*).

The understory the understory is comprised of invasive species, including Himalayan blackberry (*Rubus armeniacus*), English ivy (*Hedera helix*), and common fig (*Ficus carica*).

The BSA contains approximately 0.47 acres (~40% of the BSA) of riparian forest.

<u>Road</u>

Roadways are characterized by impervious surfaces like asphalt and concrete, which are devoid of vegetation and provide limited shelter and food sources for wildlife. Roadways within the BSA consist of paved roads including the intersection of Rose Avenue and Bidwell Avenue.

The BSA contains approximately 0.25 acres (~21% of the BSA) of road.

<u>Urban/Development</u>

Urban and developed areas within the BSA consist of both paved/unpaved paths and residential development within the staging area. This land cover type features little to no natural vegetation, except for landscaped and ornamental plantings associated with the residential developments near the Rose Avenue Bridge.

Rose Avenue Bridge – Big Chico Creek Erosion Repair Project

The BSA contains approximately 0.32 acres (~27% of the BSA) of urban/developed land.

4.3 Jurisdictional Resources

Based on field survey results, the Chico United States Geological Survey 7.5-minute quadrangle topographic map, and the United States Fish and Wildlife Service (USFWS) National Wetland Inventory (USFWS 2024), Big Chico Creek is the only jurisdictional water feature within the BSA. (Appendix E. Representative Photographs).

<u>Big Chico Creek</u>


Big Chico Creek is a perennial freshwater creek that flows from east to west through the City of Chico. Its flow is primarily governed by natural hydrological processes, with some human intervention for purposes such as recreation, habitat protection, and local water use. A federal flood control project diverts winter flows into a bypass channel system upstream of the Project area which limits the maximum winter flows to 1,500 cfs.

Big Chico Creek flows below Rose Avenue, eventually converging with the Sacramento River about 5 miles downstream of the furthest western extent of the BSA. The creek originates in the Sierra Nevada at an elevation of about 6,000 feet northeast of the City of Chico and has a 240 square mile watershed. As it flows through the foothills and over the creek's out wash delta to the valley floor, the creek experiences infiltration and often no flows reach the Sacramento River (BCCER 2024). Its riverbed is composed of pebbles, cobbles, and small boulders.

The riverbed beneath the Rose Avenue bridge is predominantly shaded by the surrounding riparian forest, with incised channel banks shaped by erosion resulting from urban development and heavy creek flows from atmospheric river events in Winter 2023/Spring 2024.

In total, the BSA includes approximately 230 linear feet of perennial stream channel (Waters of the US and State) with an average width of 35 feet, comprising approximately 0.18 acres (~15% of the BSA) of Big Chico Creek

The Aquatic Resources Delineation Map illustrates the boundaries of the jurisdictional features within the BSA (Figure A. Aquatic Resources Delineation Map – Summary Potential of Waters of the United States).



Site Coordinates (decimal degrees)	Aquatic Resource	Classification ²	Aquatic Resource Size (acre)	Aquatic Resource Size (linear feet)
39.72698 N -121.86336 W	Big Chico Creek (SC-1) ¹	R3UB (Unconsolidated Bottom, Upper Perennial, Riverine)	0.18	230
		Total	0.18	230

Aquatic Resources within the BSA

¹Stream Channel -1 (SC-1) ²Cowardin et.al. 1979


Chapter 5. References


BCCER 2024	Big Chico Creek Ecological Reserve 2024. The Big Chico Creek Watershed. Available at: https://www.csuchico.edu/bccer/natural- resources/watershed.shtml (accessed 12/12/2024)
Cowardin et. al. 1979	Cowardin et.al. 1979. Classification of Wetlands and Deepwater Habitats of the United States.
Jepson 2024	Jepson eFlora. 2024. Geographic subdivisions. Available at: https://ucjeps.berkeley.edu/eflora/geography.html (accessed 10/1/2024).
Lichvar 2008	Lichvar, R.W. & McColley, S.M. 2008. A Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States. United States Army Engineer Research and Development Center, Hanover, New Hampshire.
NRCS 2024	Natural Resource Conservation Service. 2024. Custom Soil Resources Report for Butte County, California Western Part. Available at: https://websoilsurvey.sc.egov.usda.gov/App/ (accessed 10/1/2024).
U.S. Climate Data 2024	United States Climate Data. 2024. Chico Weather Averages. Available at: <https: www.usclimatedata.com=""> (accessed 10/1/2024).</https:>
USACE 2008	United States Army Corps of Engineers. 2008. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0). United States Army Engineer Research and Development Center, Vicksburg, Mississippi.
USFWS 2024	United States Fish and Wildlife Service. 2024. National Wetland Inventory. Available at <https: data="" mapper.html="" wetlands="" www.fws.gov=""> (accessed 10/1/2024)</https:>


Rose Avenue Bridge – Big Chico Creek Erosion Repair Project

Appendix A. Project Location and Features Exhibits

Rose Avenue Bridge – Big Chico Creek Erosion Repair Project







	1 inch = 40	feet			
0	40	80	120	160	200_
	Í Í				Enternation Feet

Figure 3 Project Features

Rose Avenue Bridge Big Chico Creek Erosion Repair Project City of Chico, Butte County, California

Appendix B. Ordinary High-Water Mark Datasheets

Rose Avenue Bridge – Big Chico Creek Erosion Repair Project

Project: Big Chico Creek Erosson Repair Project	Date: 7/30/2024 Time: /0: 00 A M			
Project Number: 2833	Town: Chico State: CA			
Stream: Big Chico Creek	Photo begin file#: N/A Photo end file#: N/A			
Investigator(s): Jeff Harris, Scott Salembier	Location Details: Rose Avenne Beidge @			
$Y \square / N \square$ Do normal circumstances exist on the site?	Bidwell Avenue & Rose Avenue			
$Y \square / N \bigcirc$ Is the site significantly disturbed?	Projection: Transverse Mercaher Datum: NA 1983 Coordinates: 39. 72698, - 121. 8 6336			
Potential anthropogenic influences on the channel sys Usban Residential Developments adjacent to reduction of riparian vegetation, consin	(P)			
Briefsite description: Perennial creek, flows	east to west under the			
Brief site description: Perennial creek, flows Rose Ave. bridge. Light flow at time Croston prevalent. Small wetr just east of	of survey. Incised banks & the bridge, streambed substrate: cobples & pebbles			
Checklist of resources (if available):				
Aerial photography Stream gag	ge data			
Dates: 9/2024 Gage num	ber:			
Topographic maps Period of t	record:			
Geologic maps Histor	y of recent effective discharges			
Vegetation maps Result	s of flood frequency analysis			
	ecent shift-adjusted rating			
Rainfall/precipitation maps Gage	heights for 2-, 5-, 10-, and 25-year events and the			
Existing delineation(s) for site	ecent event exceeding a 5-year event			
Global positioning system (GPS)				
Other studies				
Hydrogeomorphic	Floodplain Units			
Active Floodplain	Low Terrace			
Low-Flow Channels	OHWM Paleo Channel			
Procedure for identifying and characterizing the flood				
1. Walk the channel and floodplain within the study area vegetation present at the site.	to get an impression of the geomorphology and			
2. Select a representative cross section across the channel. Draw the cross section and label the floodplain units.				
3. Determine a point on the cross section that is characteristic of one of the hydrogeomorphic floodplain units.				
a) Record the floodplain unit and GPS position.				
b) Describe the sediment texture (using the Wentworth class size) and the vegetation characteristics of the				
b) Describe the sediment texture (using the Wentworth	class size) and the vegetation characteristics of the			
	class size) and the vegetation characteristics of the			
floodplain unit.	class size) and the vegetation characteristics of the			
floodplain unit. c) Identify any indicators present at the location.				
floodplain unit. c) Identify any indicators present at the location. 4. Repeat for other points in different hydrogeomorphic f	loodplain units across the cross section.			
floodplain unit. c) Identify any indicators present at the location. 4. Repeat for other points in different hydrogeomorphic f 5. Identify the OHWM and record the indicators. Record	loodplain units across the cross section. the OHWM position via:			
floodplain unit. c) Identify any indicators present at the location. 4. Repeat for other points in different hydrogeomorphic f	loodplain units across the cross section.			

Arid West Ephemeral and Intermittent Streams OHWM Datasheet

Project ID: 2833 Cross section ID: Date: 7/36/2024 Time: 10:00AM.
Cross section drawing: ~ 20 feet east of bridge
15 Feet
OHWM
GPS point: $39.72699, -121.86322$
Indicators: Change in average sediment texture Change in vegetation species Change in vegetation cover Change in vegetation cover Other: Exposed roots Definition
Comments: Weir east of bridge pools water upstream of bridge. Channel is incised.
Floodplain unit: Low-Flow Channel Active Floodplain Low Terrace
GPS point:
Characteristics of the floodplain unit: Average sediment texture: Total veg cover: % Tree: % Tree: % Herb: % Community successional stage: NA Mid (herbaceous, shrubs, saplings) Early (herbaceous & seedlings) Late (herbaceous, shrubs, mature trees)
Indicators: Soil development Mudcracks Surface relief Drift and/or debris Other: Presence of bed and bank Other: Benches Other:
Comments:
ेंचे

Project ID: 2833 Cross section ID: 2	Date: 7/30/2024 Time: 10:00 A M			
Project ID: 2833Cross section ID: 2Date: 7/30/2024Time: 10:00 A MCross section drawing: ~ 20 feet west of bridge				
Active 15 Feet 15 feet				
OHWM				
GPS point: 39. 72696, -121.86345				
Indicators:Image: Change in average sediment textureImage: Change in vegetation speciesImage: Change in vegetation cover	Break in bank slope Other: <u>Active</u> floodplain Other: <u>Exposed root hairs</u>			
Comments:				
Floodplain unit: Low-Flow Channel	Active Floodplain Low Terrace			
GPS point: 39.72692,-121.86344				
	% Herb: <u>/0</u> _% Mid (herbaceous, shrubs, saplings) Late (herbaceous, shrubs, mature trees)			
RipplesDrift and/or debrisPresence of bed and bank	Soil development Surface relief Other: <u>Gravel Bar5</u> Other: Other:			
Comments: Downstream hydrology altered by th associated weir, resulting in unequal d	e Rose Avenne bridge & its listribution of streambed substrate.			
Ripples Image: Commentation Presence of bed and bank Image: Commentation	Surface relief Other: <u>bravel Bers</u> Other: Other:			

Project ID: 2833	Cross section ID:	S	Date: 7/30/24	Time: 10:00 A M
Floodplain unit:	Low-Flow Channel		Active Floodplain	Low Terrace
GPS point:	96, -121. 86 345		2	
Characteristics of the Average sediment tex Total veg cover: Community successio	floodplain unit: ture: <u>Cobbles/Boulders</u> % Tree: <u>%</u> Shr nal stage:	_	% Herb:% Mid (herbaceous, shrubs, sa	plings)
Early (herbac	eous & seedlings)		Late (herbaceous, shrubs, m	
Indicators: Mudcracks Ripples Drift and/or of Presence of b Benches			Soil development Surface relief Other: <u>lobble</u> bars behind Other: <u>Scont</u> holes dow Other:	obstructions nstrum of obstructions
Comments:				
Floodplain unit:	Low-Flow Channel		Active Floodplain	Low Terrace
GPS point:				
Community succession	ure:% Tree:% Shr		% Herb:% Mid (herbaceous, shrubs, sap Late (herbaceous, shrubs, ma	
Indicators: Mudcracks Ripples Drift and/or d Presence of b Benches			Soil development Surface relief Other: Other: Other:	
Comments:				

Appendix C. Plant Species Observed

The table below includes a list of plant species observed within the BSAs during biological field surveys. No special-status plant species were observed.

Common Name	Scientific Name	Indicator ¹	Native (N)/ Non-Native (X) ²
Plant Species			
Arroyo willow	Salix exigua	FACW	N
Black locust	Robinia pseudoacacia	FACU	X [Limited]
Common nightshade	Solanum americanmun	FACU	N
Boxelder	Acer negundo	FACW	N
Bur chevril	Anthriscus caucalis	NL	Х
Buttonbush	Cephalanthus occidentalis	OBL	N
California mugwort	Artemisia douglasiana	FAC	N
California pipevine	Aristolochia californica	NL	N
California wild grape	Vitis californica	FACU	N
California wild rose	Rosa californica	FAC	N
Canada horseweed	Erirgeron canadensis	FACU	N
Coast redwood	Sequoia sempervirens	NL	N
Common fig	Ficus carica	FACU	X [Moderate]
Curly dock	Rumex crispus	FAC	N
Dallis grass	Paspalum dilatatum	FAC	Х
Devil's beggartick	Bidens frondosa	FACW	N
Dogtail grass	Cynosurus echinatus	FACU	X [Moderate]
Elderberry shrub	Sambucus mexicana	FACU	N
English Ivy	Hedera helix	FAC	X [High]
Fremont cottonwood	Populus fremontii	FAC	N
Common mullein	Verbascum thapsus	FACU	X [Limited]
Himalayan blackberry	Rubus armeniacus	FAC	X [High]
Sweetgum	Liquidambar styraciflua	FAC	X
Loquat	Eriobotrya japonica	UPL	Х
White mulberry	Morus alba	FACU	Х
Mulefat	Baccharis salicifolia	FAC	N
Narrow leaf milkweed	Asclepias fascicularis	FAC	N
Northern California black walnut	Juglans hindsii	UPL	N
Oleander	Nerium oleander	NL	Х
Persian silk tree	Albizia julibrissin	NL	Х
American pokeweed	Phytolacca americana	FAC	Х
Prickly lettuce	Lactuca serriola	FACU	Х
Raspberry	Rubus idaeus	FACU	N
Southern catalpa	Catalpa bignonioides	UPL	Х
Stinging nettle	Urtica dioica	FAC	N
Straw-colored flatsedge	Cyperus strigosus	FACW	N
California sycamore	Platanus racemosa	FAC	N
Tall flatsedge	Cyperus exaltatus	FACW	N
Tree-of-heaven	Ailanthus altissima	FACU	X [Moderate]

Rose Avenue Bridge – Big Chico Creek Erosion Repair Project

Tree privet	Ligustrum lucidum	NL	X [Limited]
Valley oak	Quercus lobata	FACU	Ν
White alder	Alnus rhombifolia	FACW	Ν
White sweetclover	Melilotus albus	NL	Х
Wild oat	Avena fatua	UPL	X [Moderate]


¹ Species not listed (NL) on the NWPL are considered UPL indicator species ² California Invasive Plant Council

Rose Avenue Bridge – Big Chico Creek Erosion Repair Project



United States Department of Agriculture

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants Custom Soil Resource Report for Butte Area, California, Parts of Butte and Plumas Counties



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/? cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	
Soil Map	
Soil Map	9
Legend	10
Map Unit Legend	11
Map Unit Descriptions	11
Butte Area, California, Parts of Butte and Plumas Counties	
300—Redsluff gravelly loam, 0 to 2 percent slopes	13
425—Vina fine sandy loam, sandy substratum, 0 to 2 percent slopes,	
MLRA 17	15
447—Charger fine sandy loam, 0 to 1 percent slopes	17
References	20

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.


Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.



MAP LEGEND)	MAP INFORMATION			
Area of Interest (AOI)		Spoil Area		The soil surveys that comprise your AOI were mapped at			
	Area of Interest (AOI)	۵	Stony Spot	1:24,000.			
Soils	Soil Map Unit Polygons	03	Very Stony Spot	Please rely on the bar scale on each map sheet for map measurements.			
~	Soil Map Unit Lines	\$	Wet Spot				
	Soil Map Unit Points	\triangle	Other	Source of Map: Natural Resources Conservation Service Web Soil Survey URL:			
Special Point Features		, m	Special Line Features	Coordinate System: Web Mercator (EPSG:3857)			
6	Blowout	Water Fea	atures				
	Borrow Pit	~	Streams and Canals	Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts			
×	Clay Spot	Transport	Rails	distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more			
\diamond	Closed Depression	~	Interstate Highways	accurate calculations of distance or area are required.			
\mathbf{X}	Gravel Pit	~	US Routes	This product is generated from the USDA-NRCS certified data as			
***	Gravelly Spot	~	Major Roads	of the version date(s) listed below.			
Ø	Landfill	~	Local Roads	Soil Survey Area: Butte Area, California, Parts of Butte and			
A.	Lava Flow	Background		Plumas Counties Survey Area Data: Version 22, Sep 4, 2024			
عله	Marsh or swamp	Mar.	Aerial Photography	Sulvey Alea Data. Version 22, Sep 4, 2024			
\mathcal{R}	Mine or Quarry	luarry		Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.			
0	Miscellaneous Water			1.50,000 of larger.			
0	Perennial Water			Date(s) aerial images were photographed: Jun 3, 2023—Sep 8,			
\vee	Rock Outcrop			2023			
+	Saline Spot			The orthophoto or other base map on which the soil lines were			
÷.	Sandy Spot			compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor			
-	Severely Eroded Spot			shifting of map unit boundaries may be evident.			
\diamond	Sinkhole						
∌	Slide or Slip						
ø	Sodic Spot						

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI				
300	Redsluff gravelly loam, 0 to 2 percent slopes	0.3	10.3%				
425	Vina fine sandy loam, sandy substratum, 0 to 2 percent slopes, MLRA 17	2.4	70.9%				
447	Charger fine sandy loam, 0 to 1 percent slopes	0.6	18.8%				
Totals for Area of Interest		3.4	100.0%				

Map Unit Legend

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or

landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Butte Area, California, Parts of Butte and Plumas Counties

300—Redsluff gravelly loam, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: hh0t Elevation: 180 to 400 feet Mean annual precipitation: 24 to 29 inches Mean annual air temperature: 61 to 63 degrees F Frost-free period: 250 to 255 days Farmland classification: Prime farmland if irrigated

Map Unit Composition

Redsluff, gravelly loam, and similar soils: 80 percent Minor components: 20 percent Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Redsluff, Gravelly Loam

Setting

Landform: Fan remnants Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Parent material: Fine-loamy alluvium derived from igneous, metamorphic and sedimentary rock over gravelly alluvium derived from volcanic rock

Typical profile

Ap - 0 to 2 inches: gravelly loam

Bt1 - 2 to 5 inches: gravelly loam

Bt2 - 5 to 12 inches: gravelly clay loam

Bt3 - 12 to 21 inches: gravelly loam

Bt4 - 21 to 29 inches: gravelly loam

Bt5 - 29 to 37 inches: gravelly loam

Bt6 - 37 to 42 inches: extremely gravelly sandy loam

Cq - 42 to 80 inches: extremely gravelly loamy sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Moderately well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Moderately high (0.28 to 0.99 in/hr)
Depth to water table: About 35 to 80 inches
Frequency of flooding: Rare
Frequency of ponding: None
Maximum salinity: Nonsaline (0.0 to 0.5 mmhos/cm)
Available water supply, 0 to 60 inches: Low (about 5.5 inches)

Interpretive groups

Land capability classification (irrigated): 2s Land capability classification (nonirrigated): 3s Hydrologic Soil Group: C *Ecological site:* R017XY904CA - Subirrigated Deep Alluvial Fans *Hydric soil rating:* No

Minor Components

Unnamed, weak cementation below 40 inches

Percent of map unit: 4 percent Landform: Fan remnants Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Fernandez, sandy loam

Percent of map unit: 4 percent Landform: Fan remnants Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Typic haploxeralfs, very deep

Percent of map unit: 3 percent Landform: Fan remnants Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Anita, gravelly duripan

Percent of map unit: 3 percent Landform: Fan remnants Landform position (two-dimensional): Summit, toeslope Landform position (three-dimensional): Tread Microfeatures of landform position: Swales Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

Redtough

Percent of map unit: 2 percent Landform: Fan remnants Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Pachic argixerolls

Percent of map unit: 2 percent Landform: Fan remnants Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Munjar

Percent of map unit: 2 percent Landform: Fan remnants Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

425—Vina fine sandy loam, sandy substratum, 0 to 2 percent slopes, MLRA 17

Map Unit Setting

National map unit symbol: 2w8b6 Elevation: 140 to 240 feet Mean annual precipitation: 23 to 28 inches Mean annual air temperature: 61 to 63 degrees F Frost-free period: 245 to 255 days Farmland classification: Prime farmland if irrigated

Map Unit Composition

Vina, fine sandy loam, sandy substratum, and similar soils: 85 percent *Minor components:* 15 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Vina, Fine Sandy Loam, Sandy Substratum

Setting

Landform: Alluvial fans Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Parent material: Coarse-loamy alluvium derived from igneous, metamorphic and sedimentary rock

Typical profile

Ap1 - 0 to 3 inches: fine sandy loam Ap2 - 3 to 11 inches: fine sandy loam A1 - 11 to 23 inches: sandy loam A2 - 23 to 37 inches: sandy loam C1 - 37 to 50 inches: sandy loam C2 - 50 to 54 inches: loamy coarse sand C3 - 54 to 80 inches: coarse sand

Properties and qualities

Slope: 0 to 2 percent Depth to restrictive feature: More than 80 inches Drainage class: Well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (1.13 to 3.68 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: Rare
Frequency of ponding: None
Calcium carbonate, maximum content: 2 percent
Maximum salinity: Nonsaline (0.2 to 1.0 mmhos/cm)
Available water supply, 0 to 60 inches: Moderate (about 6.4 inches)

Interpretive groups

Land capability classification (irrigated): 2s Land capability classification (nonirrigated): 3c Hydrologic Soil Group: A Ecological site: R017XY904CA - Subirrigated Deep Alluvial Fans Hydric soil rating: No

Minor Components

Almendra

Percent of map unit: 5 percent Landform: Alluvial fans Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Ecological site: R017XY904CA - Subirrigated Deep Alluvial Fans Hydric soil rating: No

Charger

Percent of map unit: 5 percent Landform: Alluvial fans Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Ecological site: R017XY904CA - Subirrigated Deep Alluvial Fans Hydric soil rating: No

Redsluff

Percent of map unit: 2 percent Landform: Fan remnants Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Convex Across-slope shape: Linear Ecological site: R017XY904CA - Subirrigated Deep Alluvial Fans Hydric soil rating: No

Unnamed, water table 40 to 80 inches

Percent of map unit: 2 percent Landform: Alluvial fans Landform position (two-dimensional): Footslope Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Xerofluvents

Percent of map unit: 1 percent Landform: Flood plains Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

447—Charger fine sandy loam, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: hgzf Elevation: 180 to 600 feet Mean annual precipitation: 24 to 28 inches Mean annual air temperature: 61 to 63 degrees F Frost-free period: 250 to 255 days Farmland classification: Prime farmland if irrigated

Map Unit Composition

Charger, fine sandy loam, and similar soils: 80 percent *Minor components:* 20 percent *Estimates are based on observations, descriptions, and transects of the mapunit.*

Description of Charger, Fine Sandy Loam

Setting

Landform: Alluvial fans Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Parent material: Coarse-loamy alluvium derived from igneous, metamorphic and sedimentary rock over gravelly alluvium derived from volcanic and metamorphic rock

Typical profile

- Ap 0 to 3 inches: fine sandy loam
- A1 3 to 7 inches: fine sandy loam
- A2 7 to 15 inches: fine sandy loam
- Bw1 15 to 32 inches: sandy loam
- Bw2 32 to 42 inches: sandy loam
- Bw3 42 to 53 inches: sandy loam
- Bw4 53 to 63 inches: sandy loam

C - 63 to 80 inches: extremely gravelly loamy coarse sand

Properties and qualities

Slope: 0 to 2 percent *Depth to restrictive feature:* More than 80 inches *Drainage class:* Moderately well drained Runoff class: Very low

Capacity of the most limiting layer to transmit water (Ksat): High (2.27 to 4.25 in/hr) Depth to water table: About 40 to 80 inches Frequency of flooding: Rare Frequency of ponding: None Maximum salinity: Nonsaline (0.0 to 0.5 mmhos/cm) Available water supply, 0 to 60 inches: Moderate (about 7.3 inches)

Interpretive groups

Land capability classification (irrigated): 2s Land capability classification (nonirrigated): 3s Hydrologic Soil Group: A Ecological site: R017XY904CA - Subirrigated Deep Alluvial Fans Hydric soil rating: No

Minor Components

Vina, fine sandy loam

Percent of map unit: 8 percent Landform: Alluvial fans Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Redsluff

Percent of map unit: 5 percent Landform: Fan remnants Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Unnamed, sandy-skeletal

Percent of map unit: 2 percent Landform: Alluvial fans Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Unnamed, loamy-skeletal

Percent of map unit: 2 percent Landform: Alluvial fans Landform position (two-dimensional): Summit Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Almendra

Percent of map unit: 2 percent Landform: Alluvial fans Landform position (two-dimensional): Footslope Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Wafap

Percent of map unit: 1 percent Landform: Stream terraces Landform position (three-dimensional): Tread Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/ nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/ home/?cid=nrcs142p2 053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/ detail/national/landuse/rangepasture/?cid=stelprdb1043084

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/ nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/? cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

Appendix E. Representative Photographs



Photo 1. Representive photo of Big Chico Creek and its associated riparian forest at the Rose Avenue Bridge (SC-1) location , taken facing east, looking upstream. Photo taken July 2024.



Photo 2. Represenative photo of Big Chico Creek at the Rose Avenue Bridge (SC-1), taken facing west, looking downstream. Photo taken July 2024.

Rose Avenue Bridge – Big Chico Creek Erosion Repair Project